



**GOVERNMENT OF THE DISTRICT OF COLUMBIA
CONSTRUCTION CODES COORDINATING BOARD**

c/o DCRA– 1100 4th Street SW, Washington, DC 20024

CODE CHANGE PROPOSAL FORM

PAGE 1 OF 2

CODE: IgCC

SECTION NO. 603.5

SUBCOMMITTEE AMENDMENT NO. GC-G-6-23-13

PROPOSING SUBCOMMITTEE: Green

CHAIR: Updike

PHONE: 202-535-1337

E-mail: William.updike@gc.gov

DATES OF PROPOSAL: 6/7/12

CCCCB PRESENTATION: 6.28.12

CCCCB APPROVAL: 7/26/12

CHECK ONE

☐

Revise section to read as follows:

☒

Delete section and substitute the following:

☐

Add new section to read as follows:

☐

Delete section without substitution.

TYPE ALL TEXT IN 12-POINT TIMES NEW ROMAN FONT

LINE THROUGH TEXT TO BE DELETED (highlight text, under Format, click font and check strikethrough)

UNDERLINE TEXT TO BE ADDED

Use additional sheets of the form, if necessary.

See attached page.

Anticipated impact of code change on cost of construction (CHECK ONE)

☐ **Increase**

☐ **Decrease**

☐ **Negligible**

☒ **Unknown**

Per 1,000 SF single-family dwelling NA to NA

Per 1,000SF of commercial building to see below

JUSTIFICATION OF CHANGE:

Please reference one or more of the criteria required

☐ **To address a critical life/safety, health, general welfare need.**

☐ **To address a specific District of Columbia policy or statute**

☐ **For consistency with federal, or with reference to the Metro DC area (MD, VA) codes**

☐ **Address a unique character issue in the District of Columbia**

☐ **Correction of errors and omissions**

☒ **Other (explain)**

The TAG has proposed striking Section 603.6 so the reference to such also needed to be stricken. Also, the TAG adopted an amendment striking the CO2e reporting requirements and so striking 603.5.1 was appropriate.



Strike Section 603.5 of the International Green Construction Code in its entirety and insert new Section 603.5 in the Green Construction Code as follows.

603.5 Minimum energy measurement and verification.

Meters, sub-meters, and other *approved* devices installed in compliance with Sections 603.3 and 603.4 shall be connected to a data acquisition and management system capable of storing not less than 36 months worth of data collected by all meters and other *approved* devices ~~and transferring the data in real time to a display as required in Section 603.6.~~

~~**603.5.1 Annual emissions.** The data acquisition and management system shall be capable of providing the data necessary to calculate the annual CO₂e emissions associated with the operation of the *building* and its systems using the results of annual energy use measured in accordance with Section 603.5. The calculation shall be based on energy measured for each form of energy delivered to the site on an annual basis. Where reporting of emissions is required, the determination of emissions shall be in accordance with Section 602.2.3.~~